Int. J.Nano Dimens. 5(3): 241-246, Summer 2014

ISSN: 2008-8868

Contents list available at IJND

International Journal of Nano Dimension

Journal homepage: www.IJND.ir

Synthesis and application of modified magnetic nanoparticles for removal of Cyanide from aqueous solutions

ABSTRACT

R. Khadami^{1,*} A. Alizadeh² K. Saeb¹

¹Department of Environmental, Tonekabon Branch, Islamic Azad University, Tonekabon, Iran. ²Department of chemistry, Razi University, Kermanshah, Iran.

Received 13 January 2013 Accepted 05 May 2013

Cyanide is one of the major Environmental pollutants in industrial wastewater. Entrance of it to existence environmental contains very health hazardous. The cyanide can be removed from aqueous solutions in many ways, but most of these methods are expensive. In the present study, novel magnetic nanoparticle modified with a polydentate ligand is used to remove cyanide. The procedure is efficient and cost-effective. In this study, novel magnetic nanoparticle (Fe₃O₄-SiO₂ –Met) is used to remove cyanide. Various parameters affecting the removal rate such as pH (9-11), the amount of absorbent (0.01, 0.03, 0.05gr) and contact time (4-12 hr) were evaluated. Data from the experiment were analyzed with a mathematical model of the smallest sum of squares. The relationship between time and pH value on the removal of cyanide are linear. Nevertheless, the amount of the adsorbent and time are effective. Absorbent weight is increased from 0.01 to 0.05 g and removal efficiency reaches from 20% to 60%. With increasing contact time from 4 to 12 hours removal efficiency reaches from 30% to 55%. The finding of this research is introducing modified nanoparticles Fe₃O₄-SiO₂ -Met as an adsorbent for removing cyanide.

Keywords: Cyanide; Magnetic nanoparticles; Adsorption efficiency; Absorbent weight; Environmental pollution.

INTRODUCTION

Cyanide is widely used in industries, in a variety of forms, including HCN, salts (such as NaCN or KCN). Hydrogen Cyanide as an inhalation poison and it is used in chemical synthesis. Cyanide salts used on the gold extraction [1], and hardening of metal, metal plating, photography, coal coking. Perhaps one of the most lucrative and important cases of cyanide consumption and most of the mining industry to extract precious metals like gold and silver as well as materials recovery be low grade, The extraction of valuable metals such as copper, nickel, cobalt, molybdenum separation processes is also desirable metals from tailings and concentrate building used to be[2,3].

^{*} Corresponding author:
R. Khadami
Department of Environmental,
Tonekabon Branch, Islamic Azad
University, Tonekabon, Iran.
Tel +98 1924271105
Fax +98 1924274409
Email khadami_r@yahoo.com

Humans are in close contact with cyanide in their daily life through food, drink, smoking, medicines and while using products which contain cyanide [22]. Cyanide inhibits several cellular enzymes including cytochrome oxidase, which is a key enzyme in the cellular respiratory chain. At cyanide short-term exposure, causes breathing, tremors, and other neurological effects Skin contact with liquids containing cyanide may produce irritation and sores [23]. Cyanide is included in the CERCLA priority list of hazardous substances [4]. Therefore, environmental cyanide regulations require reducing the concentration in wastewater to below 0.2 mg/L prior to discharge into the environment. The current U.S. Environmental Protection Agency water quality criterion for cyanide is 5.2g/L for freshwater aquatic life, and 1.0g/L for marine aquatic life and wildlife [5]. According to the United States Environmental Protection Agency the cyanide concentration (USEPA), electroplating process wastewaters must be reduced to less than 5.0 mg/L for facilities discharging less than 10,000 gal/d or 1.9 mg/L for facilities discharging more than 10,000 gal/d [6].

Cyanide adsorption by waste materials has been reported only rarely; for instance, Yazici et al reported a low cyanide adsorption capacity of 0.401 mg/g onto rice husk [7]. However, this technique is unattractive from both economic and environmental perspectives because it requires the use of chemical compounds and does not degrade the full range of cyanide compounds] 8]. Dash et al. have recently reviewed and compared methods that have been investigated f the removal of cyanide from wastewater [9]. Although biodegradation is usually the preferred technique for treating wastewater due to its cost-effectiveness and environmental friendliness, there is little information on the use of bioprocesses for treatment of cyanide-laden wastewater [10,11].

In a recent publication, Han et al. describe a number of processes such as alkaline chlorination, sulfur oxidation, hydrogen peroxide oxidation, acidification—volatilization—recovery (AVR), activated carbon adsorption, ion exchange, ozonation, photochemical destruction and microbiological degradation[12-13].

Magnetic nanoparticles (MNPs) are receiving increasing interest in recent years owing to their unique properties and potential in various

fields such as catalysts industrial [14, 15], magnetic fluid, [16] Biotechnology [17], magnetic resonance imaging contrast agents [18], data storage [19], drug delivery and cellular targeting [20] and eliminate environmental spatially pollution [21].One of the challenges of use particles with diameters of less 100 nm are difficult to separate by filtration techniques and use of expensive ultracentrifugation In magnetic contrast, nanoparticles can be easily separate by applying an external magnet and these properties make them useful in the chemical industry for the extraction of samples.

In this study novel magnetic nanoparticle $(Fe_3O_4-SiO_2$ —Met) is used to remove cyanide. Various parameters affecting the removal rate such as pH, the amount of absorbent and contact time were evaluated.

The Parabolic Trough Collector focuses direct normal irradiance or beam radiation onto a focal line on the collector axis. An absorber tube with water or temperature stable synthetic oil flowing inside absorbs the concentrated solar energy and raises its temperature at the focal line.

EXPERIMENTAL

Chemicals

FeCl $_2$.4H $_2$ O, FeCl $_3$.6H $_2$ O, ammonium hydroxide(28%NH $_3$ in water), hydrochloric acid (37%), tetraethylorthosilicate (TEOS), 3-chloropropyl trimethoxysilane (CPTS), trisodium citrate, KI, K $_2$ CO $_3$, NaCN $_4$ (AgNO $_3$) were purchased all from Merck. NaOH and metformin hydrochloride were purchased all from Aldrich. PH was controlled by the addition of 1M NaOH, if required.

Stock cyanide solution

Cyanide solution was prepared by diluting aliquots of 1g/L stock cyanide solution into distilled water. The stock solution was made by dissolving NaCN in distilled water. All experiments were carried out at a constant room temperature of 24 ± 3 °C.

Preparation of Fe₃O₄/SiO₂-Met

 Fe_3O_4/SiO_2 -Met were prepared following the procedure of Alizadeh et al.[25]. Briefly, 1 mL

(5 mmol) of CPTS was dissolved in 100 mL of dried toluene, was added to 1 g of Fe₃O₄/ SiO₂ and the solution was stirred for 18 h at 60 °C. The chloropropyl-functionalized solid (Fe₃O₄/ SiO₂-Cl) was washed with toluene, separated by a magnet, and dried in vacuum. The obtained magnetic solid was used in the following step to synthesize metformin-modified silica-coated MNPs. prepared Fe₃O₄/SiO₂-Cl (1 g) and KI (1.66 g, 10 mmol) were added to a solution of metformin hydrochloride (0.21 g, 5 mmol) and K₂CO₃ (10 mmol, 1.38 g) in acetonitrile (50 mL) in a roundbottom flask and the mixture was stirred under reflux condition for 5 hrs. The obtained Fe₃O₄/SiO₂-Met was then magnetically collected from the solution and washed copiously with water/ethanol followed by drying at 80 °C for 6 hrs.

Adsorbent characterization and analytical methods

Transmission electron microscopy (TEM) measurements were performed using a Philips CM10 operated at 100 kV electron beams accelerating voltage and equipped with a CCD camera. One drop of the sample solution was deposited onto a copper grid and the excess of the droplet was blotted off the grids with filter paper; then the sample was dried under ambient conditions. The sizes of the magnetic nanoparticle cores were determined by photo enlarging the micrographs and measuring at least 150 individual cores manually. Fourier transform infrared (FTIR) spectra were collected between 450 and 4000cm-1 using a Nicolet spectrometer.

The concentration of cyanide ions in solution was measured by the titrimetric method as described in section 4500-CN- D. of the Standard Methods [24]. The pH of wastewater was adjusted to the desired level using a 0.1N NaOH.

Cyanide removal from water with MNPs (Fe_3O_4 - SiO_2 -Met)

Because of the potential hazards associated with cyanide, control and remediation of cyanide-contaminated water is usually desired.

The cyanide adsorption capacity of the media was evaluated in batch cyanide adsorption experiments at three final pH values, 9.1 ± 0.1 and 10.0±0.1and 11 in 0.01, 0.03, 0.05gr Fe₃O₄-SiO₂ – Met with an initial cyanide concentration of C_0

≈1000 ppm. These pH values were selected because (1) most natural waters exhibit pH in this range; and (2) the cyanide adsorption capacity is affected by pH due to the speciation of cyanide and change in the surface charge of the adsorbent. Adsorption of cyanide was modeled using with a mathematical model of the smallest sum of squares. The pH of the solution was adjusted to desired values by using dilute NaOH before the addition of adsorbent. The concentrations of residual cyanide, after magnetic separation of MNPs, were computed by measuring the absorbance at the concentration of cyanide ions in solution was measured by the titrimetric method.

Calculation of cyanide adsorption efficiency (RE)

Cyanide adsorption efficiency (RE) was calculated from Eqs. (1). where C_0 and C_t (mg/L) are initial (t=0) and equilibrium cyanide concentrations.

$$R\% = 100 \times \frac{C_0 - C_t}{C_0}$$
 (1)

RESULTS AND DISCUSSION

Adsorbent characteristics

A TEM micrograph of surface MNPs particles is shown in Figure 1 which displays the silica-modification process of MNPs leads to the formation of magnetic/silica composite particles with typical core-shell structure. These observations confirmed the formation of a silica layer around the Fe_3O_4 nanoparticles.

Figure 2a shows the FT-IR spectrum of Fe₃O₄ modified with trisodium citrate and its band characteristics. The signal observed at 579 cm⁻¹ is attributed to the Fe-O bond vibration. In addition, two bands observed at 1617 and 1385 cm⁻¹, which are due to the COO-Fe bond and confirm the complexation between the carboxylate moiety of citrate groups and iron ions on the magnetite nanoparticles surface. In the case of Fe₃O₄/SiO₂ nanoparticles (Fig.2b), the sharp band at 1090 cm⁻¹ is corresponding to Si-O-Si anti-symmetric stretching vibration, being indicative of the existence of a SiO₂ layer around the Fe₃O₄ nanoparticles. Because the specific surface area of nano particles is low, the functional groups likely have a more pronounced role than particle surface area in adsorbing cyanide ions from liquid (Fig.2c).




Fig. 1. TEM images of solutions containing coreshell Fe_3O_4/SiO_2 nanoparticles.




Fig. 2. FT-IR spectra of (a) trisodium citrate-treated magnetite nanoparticles, (b) Fe₃O₄/SiO₂ and (c) Fe₃O₄/SiO₂-Met.

Cyanide adsorption

Figure 3 shows changes in removal efficiency with respect to changes in pH (9, 10, 11) and changes in the amount of nanoparticles (Fe_3O_4/SiO_2-Met) used (0.01, 0.03, 0.05g) and variation of contact time (4-12hr) Concentration of cyanide in solution was determined by silver nitrate titration in the presence of p-dimethylamino benzyl rhodanine (0.02%, w/w) in acetone) as indicator.




Fig. 3. Influence of adsorbent dosage (Fe₃O₄/SiO₂-Met.) and contact time on 1000ppm Cyanide adsorption efficiency.

Influence of solution pH and the mechanism of adsorption

In the first run of adsorption experiments cyanide adsorption onto MNPs (Fe₃O₄/SiO₂-Met) was studied as a function of pH; results are given in Figure 3. As shown in Figure 3, the highest cyanide removal of 58% obtained at pH 11. Peak cyanide adsorption at pH 11 can be explained by considering the fact that the pH of the solution influences both the surface charge of the MNPs particles (Fe₃O₄/SiO₂-Met) and the dominant species of cyanide in the solution. Because CN- is a nucleophilic ion, when in contact with the negatively charged adsorbent, it binds with the anionic functional groups present on the surface of adsorbent (Figure 2) and thereby improves adsorption [9]. Therefore, chemical ion exchange is determined to be the prevailing mechanism for the adsorption of cyanide ions onto MNPs. Moreover, some removal may occur through surface precipitations and chemical reactions with surface sites, complexation of CN- with functional groups, and physical adsorption. According to information, most researchers have similarly reported attaining maximum cyanide adsorption onto different adsorbents in the pH range of 9-11.

Influence of MNPs dosage and contact time

Because adsorption is mainly a surface phenomenon, the amount of surface available for adsorption and thus the mass of adsorbent can significantly affect adsorption efficiency. Therefore, the effect of MNPs dosage on cyanide removal was investigated at pH of 9-11 under the conditions given in Figure 3 represents the removal percentages of cyanide as a function of MNPs dosage. As illustrated in Figure 3 the removal of cyanide at a dose of 0.01g/L was 20%; removal improved to 58% when the MNPs dosage was increased to 0.05 g/L and remained almost unchanged thereafter. Achievement of a high cyanide removal percentage with a relatively low adsorbent dose indicates the high affinity and suitability of MNPs for removal of cyanide from wastewater. The increasing adsorption efficiency with increasing MNPs dose can be attributed to the increase in surface area and by extension the greater number of exchangeable sites available for interaction with cyanide ions. In comparison, for instance, Ref. [26] reported 14.3, 35.4 and 92.3% removal of 100 mg/L cyanide for 4.5 g/L plain, copper- and silver-impregnated GAC, respectively, after around 24 h contact time. Considering the low adsorption capacity of GAC (plain and modified), which is the most conventional industrial adsorbent, as well as its high production cost, MNPs is certainly much more efficient and cost effective and is therefore a promising adsorbent for treating cyanide-laden wastewaters.

A further increasing in the mixing time led to improved removal percentages for 1000 ppm cyanide concentration, which attained equilibrium times of 4, 12 hours increasing adsorption efficiency.

CONCLUSIONS

Adsorption is one of the most widely used treatment methods for removing contaminants from water and wastewater. This work introduced a new adsorbent, novel magnetic nanoparticle (Fe $_3$ O $_4$ -SiO $_2$ -Met), which is available as a material at no cost. The experimental evaluation revealed that MNPs was capable of removing a high concentration of cyanide ions (1000 mg/L) in a relatively short contact time with a low amount of adsorbent. This study establishes furthermore that

the effect of increase of the MNPs concentration is beneficial for the cyanide removal.

Therefore, MNPs (Fe₃O₄-SiO₂-Met) is an efficient, cost effective and thus promising adsorbent for treating cyanide-containing liquid streams.

REFERENCES

- [1] Mauk C, Prengle HW, and Legan RW. Chemical oxidation of cyanide species by ozone with Irradiation from UV.1976;"transactions of the society of mining.
- [2] Zaidi, A., Schmidt, J.W, Simovic, L., Scott, J., (1987), In: The Art and Science of Treating Wastewaters from Gold Mines, Annual Operator's Conference, Ottawa, Ontario, January 20–22.
- [3] Development Document for effluent limitations Guidelines and new source performance standars for steel making segment of Iron and steel manufacturing point source category: USEPA 440/1-74-024-a (June 1974).
- [4] ATSDR, CERCLA priority list of hazardous substances, 2007, Available at: http://www.atsdr.cdc.gov/cercla/07list.html (accessed 11.01.2010).
- [5] Moran, R. (1998), Cyanide Uncertainties: Observations on the Chemistry, Toxicity, and Analysis of Cyanide in Mining-Related Waters, Mineral Policy Center, Protecting Communities and the Environment, No.1:1-18.
- [6] U.S. Environmental Protection Agency (US EPA), Code of Federal Regulations: Effluent Guidelines and Standards; Electroplating Point Source Category Pretreatment Standards Existing for Sources, Final Rule and Amendments, Title 40 CFR Part 413, Washington, 1981.
- [7] Yazıcı, E.Y., Deveci, H., Alp, I^{*}., (2009), Treatment of cyanide effluents by oxidation and adsorption in batch and column studies, *J. Hazard. Mater.* 166:1362–1366.
- [8] Chen, C.Y., Kao, C.M., Chen, S.C., (2008), Application of Klebsiella oxytoca immobilized cells on the treatment of

- cyanide wastewater, *Chemosphere*, 71:133–139.
- [9] Dash, R.R. Gaur, A., Balomajumder, C., (2009), Cyanide in industrial wastewaters and its removal: a review on biotreatment, *J. Hazard. Mater.* 163:1–11.
- [10] White, D.M., Pilon, T.A., Woolard, C., (2000), Biological treatment of cyanide containing wastewater, *Water Res.* 34: 2105–2109.
- [11] Kaewkannetra, P., Imai, T., Garcia-Garcia, F.J., Chiu, T.Y., (2009), Cyanide removal from cassava mill wastewater using Azotobactor vinelandii TISTR 1094 with mixed microorganisms in activated sludge treatment system, *J. Hazard. Mater.* 172: 224–228.
- [12] Han, B., Shen, Z., and Wickramasinghe, S.R., (2005), Cyanide removal from industrial wastewaters using gas membranes, *J. Membr. Sci.*275: 171-181.
- [13] Riveros, P.A., Koren, D., McNamara, V.M., and Binvignat, J, (1998), Cyanide recovery from a gold mill barren solution containing high levels of copper, *Cim. Bulletin*, 91:73-76.
- [14] Tsang SC, Caps V, Paraskevas I, Chadwick D, Thompsett D. ,(2004), Magnetically Separable ,Carbon-Supported Nano catalysts for the Manufacture of Fine Chemicals. *Angew. Chem.* 116:5763-5767.
- [15] Sarangi PP, Bhanudas N, Ghosh N.N.,(2009), Low Temperature Synthesis of Single-Phase α-Fe₂O₃ Nano-powders by Using Simple but Novel Chemical Methods, *PowderTech*.192:245-249.
- [16] Chikazumi S, Taketomi S, UkitaM, Mizukami M, Miyajima H, Setogawa M, Kurihara Y. ,(1987), Physics of Magnetic Fluids: J.Magn.Magn.Mat.65:245-251.
- [17] Gupta AK, Gupta M.,(2005), Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications, *Biomaterials*. 26:3995-4021.
- [18] Li Z, Wei L, Gao MY, Lei H.,(2005), Onepot reaction to synthesize biocompatible

- magnetite nanoparticles: *Adv.Mater*.17:1001-1005.
- [19] Laurent S, Forge D, Port M, Roch A, Robic C, Elst LV, (2008), Muller RN. Magnetic iron oxide nanoparticles, Synthesis, stabilization, vectorization physicochemical characterizations, and biological applications, *Chem.Rev*.108:2064-2110.
- [20] Gupta AK, GuptaM.,(2007), Synthesis and surface engineering superparamagnetic iron oxide nanoparticles for drug delivery and cellular targeting: Handbook of Particulate Drug Delivery. *American Scientific Publishers*, USA.
- [21] Elliott DW, Zhang WX.,(2001),Field assessment of nanoscale biometallic particles for groundwater treatment, *Env. Sci.Tech.*35:4922-4926
- [22] USEPA, (1976), The Manufacture and Use of Selected Inorganic Cyanides. EPA 560/6-76-012.
- [23] Department of Interior U.S., Cyanide Fact Sheet. Bureau of Reclamation, Technical Service Center, Water Treatment Engineering and Research Group, August, 2001, 1–4.
- [24] APHA, Standard Methods for the Examination of Water and Wastewater, 20th ed., 1998.
- [25] Alizadeh A, Khodaei MM, Beygzadeh M.,(2012), A novel magnetic nanoparticle-supprted bigianide catalyst: excellent reactivity combined with facile catalyst recaclability, proceeding of the 4th International Conference on Nanostructure.
- [26] Deveci, H., Yazıcı, E.Y., Alp, I., Uslu, T., (2006), Removal of cyanide from aqueous solutions by plain and metal-impregnated granular activated carbons, *Int. J. Miner. Process.* 79:198–208.

Cite this article as: R. Khadami *et al.*: Synthesis and application of modified magnetic nanoparticles for removal of Cyanide from aqueous solutions.

Int. J.Nano Dimens. 5(3): 241-246, Summer 2014